







Apollo 735L

6 Seats

SPECS

Seating Capacity



COLORS'

Cabine	t	Shel
Brown	Charcoal	Whi

Cover

Seating Capacity	o seats
Dimensions	7' x 7' x 36" / 213 cm x 213 cm x 91 cm
Water Capacity	345 gallons / 1300 liters
Weight	835 lbs. / 380 kg dry; 4765 lbs. / 2160 kg filled**
Jets	35 Total
Water Feature	Included
Jet Pump 1	Two-Speed 1.5 HP, continuous duty 3.2 HP, breakdown torque
Jet Pump 2	One-Speed 1.5 HP, continuous duty 3.2 HP, breakdown torque
Water Care System	Ozone System (Optional)
Control System	LCD control panel 230v/50amp, 60Hz Requires Optional G.F.C.I. protected sub-panel
Lighting	10 multi-color LED points of light
Heater	Hi-Flow Heater 4000 W / 230 V
Energy Efficiency	FiberCor Insulation; Certified to California Energy Commission (CEC) and APSP 14 energy efficiency standards for portable spas
Effective Filtration Area	30 sq. ft., top loading filter
Cover Lifter (Optional)	Lift 'n Glide®
Steps (Optional)	Polymer Steps

[&]quot;Actual colors and products may vary from print representation. See dealer to verify. "Includes water and 7 adults weighing 175 lbs. each. Export models available in 240 V, 50 Hz, 2,000 W heater.





Atlas 735

SPECS



CO	0	D	C.

-	_	l-	in	_	4	



Brown Charcoal





Black Polyeste

Seating Capacity	7 Seats
Dimensions	7' x 7' x 36" / 213 cm x 213 cm x 91 cm
Water Capacity	355 gallons / 1350 liters
Weight	835 lbs. / 380 kg dry; 5020 lbs. / 2290 kg filled**
Jets	35 Total
Water Feature	Included
Jet Pump 1	Two-Speed 1.5 HP, continuous duty 3.2 HP, breakdown torque
Jet Pump 2	One-Speed 1.5 HP, continuous duty 3.2 HP, breakdown torque
Water Care System	Ozone System (Optional)
Control System	LCD control panel
	230v/50amp, 60Hz Requires Optional G.F.C.I. protected sub-panel
Lighting	230v/50amp, 60Hz
Lighting Heater	230v/50amp, 60Hz Requires Optional G.F.C.I. protected sub-panel
	230v/50amp, 60Hz Requires Optional G.F.C.I. protected sub-panel 10 multi-color LED points of light
Heater	230v/50amp, 60Hz Requires Optional G.F.C.I. protected sub-panel 10 multi-color LED points of light Hi-Flow Heater 4000 W / 230 V FiberCor Insulation; Certified to California Energy Commission (CEC) and APSP 14 energy
Heater Energy Efficiency	230v/50amp, 60Hz Requires Optional G.F.C.I. protected sub-panel 10 multi-color LED points of light Hi-Flow Heater 4000 W / 230 V FiberCor Insulation; Certified to California Energy Commission (CEC) and APSP 14 energy efficiency standards for portable spas
Heater Energy Efficiency Effective Filtration Area	230v/50amp, 60Hz Requires Optional G.F.C.I. protected sub-panel 10 multi-color LED points of light Hi-Flow Heater 4000 W / 230 V FiberCor Insulation; Certified to California Energy Commission (CEC) and APSP 14 energy efficiency standards for portable spas 30 sq. ft., top loading filter



OUR LOCATIONS

BRISTOL SHOWROOM

5136 Lee Hwy Bristol, VA 24202

(276) 623-0377

KINGSPORT SHOWROOM

1880 N. Eastman Road Kingsport, TN 37664

[423] 765-0363

JOHNSON CITY SHOWROOM

155 E. Mountcastle Drive Johnson City, TN 37601

[423] 430-9869

MORRISTOWN SHOWROOM

2415 N Davy Crockett Pkwy Morristown, TN 37814

(423) 560-2600

southernspacompany.com